

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"200058252"	EPO; JPO; DERWENT	OR	OFF	2009/06/15 15:37
S2	2	{"6362463").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/15 15:38
S3	0	{"7* 45361").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/15 15:40
S4	1272	magnetron and power and switching and transformer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/17 15:11
S5	1816	(resonance with circuit) and drive and (rectifying or rectify)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/17 15:11
S6	50	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/17 15:11
S7	2	{"6362463").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/06/24 08:03
S8	0	{"* 066595").PN.	JPO	OR	OFF	2009/06/24 16:43

S9	0	("62-66595").PN.	JPO	:OR	:OFF	2009/06/24 16:43
S10	0	("60-206836").PN.	JPO	:OR	:OFF	2009/06/24 16:43
S11	543	inverter and power and magnetron and (high with frequency) and (heat or heating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/06/25 11:38
S12	8950	(high with frequency) and (heat or heating) and magnetron	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/06/25 11:38
S13	41990	detect and compare and reference and conversion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/06/25 11:39
S14	59	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/06/25 11:39
S15	2	("5274208").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/06/25 11:53
S16	59	(vcc with power) same (dead with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2009/07/01 13:29
S17	2	("20070195561").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	:OFF	2010/03/24 12:50

S18	98463	(low or lowest) with frequency with circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/24 12:54
S19	253	(magnetron and switching) and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/24 12:54
S20	104	(dead or delay) with time) and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2010/03/24 12:56
S21	4	(("4870246") or ("20080116183")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2010/03/25 08:07
S22	6419	((219/10.55B,10.55R,10.55F,10.55M,702,715,716,723,721) or (363/131,16,20,21,97,98)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2011/07/12 11:39
S23	1564	(frequency with conversion) and comparing and reference) with circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/07/12 11:40
S24	38	S22 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/07/12 11:40
S25	6	magnetron and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2011/07/12 11:44

S26	25	("4285143" "4713528" "4777575" "4886951" "4888461" "4933830" "4962292" "5021620").PN. OR ("5274208").URPN.	US-PGPUB; USPAT; USOCR	:OR	ON	2011/07/12 11:44
S27	2	("5681490").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	OFF	2011/07/12 12:58
S28	2	("6266595").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	OFF	2011/07/12 14:36
S29	8	(US-20050218844-\$ or US-20050174819-\$ or US-20070195561-\$ or US-20080116183-\$).did. or (US-6362463-\$ or US-4984184-\$ or US-5274208-\$ or US-4870246-\$).did.	US-PGPUB; USPAT	:OR	ON	2011/12/18 15:09
S30	1662	((error with circuit) and (dead with circuit)) and "8"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	ON	2011/12/18 15:10
S31	1	((error with circuit) and (dead with circuit)) and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	ON	2011/12/18 15:11
S32	6	((error with circuit) and (dead with circuit)) and magnetron	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	ON	2011/12/18 15:11
S33	0	((calculating with circuit) and (dead with circuit)) and magnetron	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	ON	2011/12/18 15:17
S34	36	(dead with circuit) and magnetron	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	:OR	ON	2011/12/18 15:28

12/19/2011 12:51:34 PM

C:\Documents and Settings\tran36\My Documents\EAST\Workspaces\Application Workspace\10599431.wsp